# What shapes the human immune system?

#### Michelle Linterman

michelle.linterman@babraham.ac.uk







#### Babraham Institute

 BI: An independent research Institute sponsored by the BBSRC.


 Research focuses on basic bioscience underpinning health




# The immune system is composed of many cell types



# The immune system is composed of many cell types that mount a coordinated attack on pathogens



#### Everyone 'fills the ranks' differently



#### What shapes the immune system?

- Genetics account for less than half of the variability of an immune profile
  - MZ vs. DZ twin study: estimate 23% genetic.
     Brodin et al Cell 160, 37-47 (2015)
  - Sardinian cohort QTL study: 41% genetic
     Orru et al Cell 155, 242-256 (2013)
  - ImmVar project, tested QTLs: 22% genetic.
     de Jager Semin Immunol, (2015)
- Viral infections; CMV, EBV
- Ageing

#### What non-genetic factors shape the immune system?

670 healthy individuals


2-86 years of age

Longitudinal sampling of sub-cohorts

Correlations with non-genetic factors

- Age
- Body mass index (BMI)
- Co-parenting
- Gastroenteritis
- Vaccination
- Depression and anxiety

#### Our study



#### 54 immunological parameters

MSD Serum analysis
Cytokines
Chemokines

#### Flow cytometry

CD4+ T cells

CD8+ T cells

**NKT** cells

B cells

Antigen presenting cells




James Dooley K.U. Leuven, Belgium





Edward Carr Babraham Institute, UK

# An individuals immune profile is stable over short time spans


1.4% of variation is attributable to the intra-individual variation









#### Precursor populations cluster together




#### Precursor populations cluster together




First dimension of non-metric mutlidimensional scaling (NMDS)




### There are strong relationships between immune parameters and age




# Precursor populations negatively correlate with age




# IFNγ<sup>+</sup> and IL-2<sup>+</sup> populations positively correlate with age




# iNKT cells and serum IL-6 positively correlate with age







# iNKT cells and serum IL-6 positively correlate with age




### Does BMI play a role in age-dependent immune profiles?




#### Acute gastroenteritis does not perturb the immune landscape




### Length of gastroenteritis does not alter immunological distance





# Vaccination temporarily perturbs the immune landscape






### Vaccination temporarily perturbs the immune landscape







#### Antibodies provide protection after vaccination




### Gender does not significantly contribute to age-dependent immune changes




# There is no relationship between Anxiety and depression scores (HADS) and immune parameters




# Co-parents have a similar immune profiles






# T cell cytokine production recapitulates immunophenotyping findings




24hrs CD3/CD28 stimulation




**Assess serum cytokines** 






First dimension of non-metric mutlidimensional scaling (NMDS)

# T cell cytokine production recapitulates immunophenotyping findings





#### The human immune system

- Age is one of the biggest drivers of change
  - not all cell types are influenced by age
  - A linear model best fits the changes in the immune profile with age
- Acute gastroenteritis does not perturb the immune landscape
- Vaccination transiently alters some immune parameters
- Co-parenting influences immune profiles



The NIHR Cambridge BioResource is a resource of ~16,000 volunteers,

both with and without health problems, who are willing to be approached to participate in research studies investigating the links between genes, the environment, health and disease.



Research Nurse, Barbara Graves, with one of our volunteers

Recruiting volunteers aged
 16+

- Joining the volunteer panel requires a oneoff appointment at the research unit (located on the Addenbrooke's campus), and collection of a blood or saliva sample.
- Volunteers are then 'matched' to research studies and invited to take part.
- Participation in any study is voluntary, and the team work with volunteers to find a convenient time/location.







**Babraham Institute** 

**Edward Carr** 

Wim Pierson

Louise Webb

Danika Hill

Alyssa Silva Cayetano

Ine Vanderleyden

Alexandre Bignon

Alice Denton

**University of Cambridge** 

James Lee

Benaroya Research Institute

Bill Kwok

**Eddie James** 

Cambridge BioResource

Sarah Nutland

Kelly Beer

Jamie Rice

Robin Francis-Wright

Tracey Cook

**The Participants** 







